CONTENTS OF VOLUME 425

June 1990

BYWATER R.A.R., CAMPBELL G.D., EDWARDS F.R. & HIRST G.D.S. Effects of vagal stimulation and applied acetylcholine on the arrested sinus venosus of the toad. 1

CHEN Chen, ZHANG Jin, VINCENT Jean-Didier & ISRAEL Jean-Marc Two types of voltage-dependent calcium current in rat somatotrophs are reduced by somatostatin. 29

SANJAR S., KRISTERSSON A., MAZZONI L., MORLEY J. & SCHAEUBLIN E. Increased airway reactivity in the guinea-pig follows exposure to intravenous isoprenaline. 43

O'NEILL S.C., DONOSO P. & EISNER D.A. The role of $[Ca^{2+}]_i$ and $[Ca^{2+}]$ sensitization in the caffeine contracture of rat myocytes: measurement of $[Ca^{2+}]_i$ and $[caffeine]_i$. 55

GAILLARD Stéphane & DUPONT Jean-Luc Ionic control of intracellular pH in rat cerebellar Purkinje cells maintained in culture. 71

THAYER Stanley A. & MILLER Richard J. Regulation of the intracellular free calcium concentration in single rat dorsal root ganglion neurones *in vitro*. 85

LANG Daniel G. & RITCHIE Aileen K. Tetraethylammonium blockade of apamin-sensitive and insenstive Ca^{2+}-activated K^+ channels in a pituitary cell line. 117

MIZUTANI M., NEYA T. & NAKAYAMA S. Capsaicin-sensitive afferents activate a sympathetic intestinointestinal inhibitory reflex in dogs. 133

ANUMONWO J.M.B., DELMAR M. & JALIFE J. Electrophysiology of single heart cells from the rabbit tricuspid valve. 145

HOWE James R. & RITCHIE J.M. Sodium currents in Schwann cells from myelinated and non-myelinated nerves of neonatal and adult rabbits. 169

HERTZBERG T., HELLSTRÖM S., LAGERCRANTZ H. & PEQUIGNOT J.M. Development of the arterial chemoreflex and turnover of carotid body catecholamines in the newborn rat. 211

KIDOKORO Yoshiaki & ROHRBOUGH Jeffrey Acetylcholine receptor channels in *Xenopus* myocyte culture; brief openings, brief closures and slow desensitization. 227

ROHRBOUGH Jeffrey & KIDOKORO Yoshiaki Changes in kinetics of acetylcholine receptor channels after initial expression in *Xenopus* myocyte culture. 245

IMAI-MATSUMARA Kyoko, MATSUMURA Kiyoshi, MORIMOTO Akio & NAKAYAMA Teruo Suppression of cold-induced thermogenesis in full-term pregnant rats. 271

BURKE David, HICKS Richard G. & STEPHEN John P.H. Corticospinal volleys evoked by anodal and cathodal stimulation of the human motor cortex. 283

EDGLEY S.A., EYRE J.A., LEMON R.N. & MILLER S. Excitation of the corticospinal tract by electromagnetic and electrical stimulation of the scalp in the macaque monkey. 301

ZHOU Xin-Fu & LIVETT Bruce G. Substance P increases catecholamine secretion from perfused rat adrenal glands evoked by prolonged field stimulation. 321

BHAVE Sanjiv V., MALHOTRA Ravindra K., WAKADE Taruna D. & WAKADE Arun R.

Phosphoinositide hydrolysis is not negatively regulated by protein kinase C in the peripheral tissues of rat and chick. 335

FELDMEYER D., MELZER W., POHL B. & ZÖLLNER P. Fast gating kinetics of the slow Ca^{2+} current in cut skeletal muscle fibres of the frog. 347

BECK J.S. & POTTS D.J. Cell swelling, co-transport activation and potassium conductance in isolated perfused rabbit kidney proximal tubules. 369

HARRISON P.J. & RIDDELL J.S. A group II-activated ascending tract of lumbosacral origin in the cat spinal cord. 379

FRANKE CH., HATT H., IAIZZO P.A. & LEHMANN-HORN F. Characteristics of Na^+ channels and Cl^- conductance in resealed muscle fibre segments from patients with myotonic dystrophy. 391

LAU K.R., HOWORTH A.J. & CASE R.M. The effects of bumetanide, amiloride and Ba^{2+} on fluid and electrolyte secretion in rabbit salivary gland. 407

VAUGHAN-JONES R.D. & WU Mei-Lin pH dependence of intrinsic H^+ buffering power in the sheep cardiac Purkinje fibre. 429

DELAY M., GARCIA D.E. & SANCHEZ J.A. The effects of lyotropic anions on charge movement, calcium currents and calcium signals in frog skeletal muscle fibres. 449

SELYANKO A.A., SMITH P.A. & ZIDICHOUSKI J.A. Effects of muscarine and adrenaline on neurones from *Rana pipiens* sympathetic ganglia. 471

HURLBUT W.P., IEZZI N., FESCE R. & CECCARELLI B. Correlation between quantal secretion and vesicle loss at the frog neuromuscular junction. 501

BAUMANN K.I., HAMANN W. & LEUNG M.S. Acute effects of neomycin on slowly adapting type I and type II cutaneous mechanoreceptors in the anaesthetized cat and rat. 527

HÄBLER H.-J., JÄNIG W. & KOLTZENBURG M. Activation of unmyelinated afferent fibres by mechanical stimuli and inflammation of the urinary bladder in the cat. 545

WINEGAR Bruce D. & LANSMAN Jeffry B. Voltage-dependent block by zinc of single calcium channels in mouse myotubes. 563

MATSUOKA Satoshi, EHARA Tsuguhisa & NOMA Akinori Chloride-sensitive nature of the adrenaline-induced current in guinea-pig cardiac myocytes. 579

KLEIN Michael G., SIMON Bruce J. & SCHNEIDER Martin F. Effects of caffeine on calcium release from the sarcoplasmic reticulum in frog skeletal muscle fibres. 599

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

9–10 *February* 1990

Bristol Meeting

DEMONSTRATIONS

Whittlestone M., Longstaffe J.A. & Whittlestone K.D. Writing interactive tutorials using a simple authoring language (*VIPA*). 2*P*

Lewis D.M. Control and analysis of muscle experiments using the Archimedes microcomputer. 3*P*

West David C. & Headley P. Max A timer and sequencer, implemented using software and a microcomputer, for the control of stimulus presentation and data collection in electrophysiological experiments. 4*P*

Dong Xiao-wei, Headley P. Max, Stirk Graeme C. & West David C. Microcomputer control of stimulus presentation and data analysis in experiments on spinal sensory processing in the anaesthetized rat. 5*P*

Burgess S.A., Dover S.D. & Woolley D.M. Stereo images of cryofixed dynein ATPase and a method for their enhancement by digital image processing. 6*P*

Cross F.G. Notes on the origins and development of medicine in Bristol. 7*P*

Schwiening Christof J. & Thomas Roger C. A vacuum silanization technique for eccentric double-barrelled ion-sensitive microelectrodes made with aluminosilicate glass. 8*P*

Levi Allan, Price Sarah, Hall Sharon & Kaufmann Andrew Changes of coronary vessel resistance during enzymatic isolation of myocytes from guinea-pig hearts. 9*P*

Hartell Nick A. & Headley P. Max Electrophysiological techniques for monitoring spinal reflex responses to noxious stimuli in acutely prepared anaesthetized rats and in chronically prepared conscious rats. 10*P*

Ashmore J.F. & Housley G.D. Use of a piezo-resistive pressure sensor to study stretch-activated currents in isolated mammalian cochlear hair cells. 11*P*

Rennie Katie & Ashmore J.F. Isolation and electrophysiology of mammalian vestibular hair cells. 12*P*

Allnatt Jane P., Dickson Kate E. & Lisney S.J.W. The possibility that a substance which inhibits plasma extravasation is released from sensory nerve terminals during impulse activity in anaesthetized rats. 13*P*

Apps Richard & Trott Judy R. The use of fluorochrome-tagged latex microspheres to investigate branching within afferent pathways to the cerebellar cortex in the rat and cat. 14*P*

Ridge R.M.A.P. & Rowlerson A. Sprouting motoneurones break as well as make contacts in partially denervated rat muscle. 15*P*

Geeves M.A. & Ranatunga K.W. Effect of hydrostatic pressure on isometric contractions of intact fibre bundles isolated from rat muscles. 16*P*

Waller Sarah J., Harrison Peter S. & Kilpatrick Ian C. Amino acid analysis in nervous tissue using a sensitive HPLC method. 17*P*

Randall A.D., Benke T.A., Angelides K., Schofield J.G. & Collingridge G.L. A demonstration of NMDA receptor-mediated synaptic and single-channel currents from patch-clamped neurones in rat hippocampal slices. 18*P*

Matthews H.R. A technique for visualizing the temperature distribution in flowing fluids. 19*P*

Matthews H.R. A flow heater for fast solution and temperature changes. 20*P*

Gomez S. & Lush D. Quantitative assessment of postural sway in man. 21*P*

Skorupski P., Rawat B.M. & Bush B.M.H. Functionally distinct feedback groups within the same motor pool innervating a crayfish leg muscle. 22*P*

Bashir Z.I. & Collingridge G.L. Potentiation of an NMDA receptor-mediated EPSP in rat hippocampal slices *in vitro*. 23*P*

Davies C.H. & Collingridge G.L. A method for studying physiological functions of presynaptic $GABA_B$ receptors in the rat hippocampal slice. 24*P*

Irving A.J., Collingridge G.L., Haynes L., Schofield J.G. & Shorte S.L. A method for imaging $[Ca^{2+}]_i$ in cultured mouse cortical neurones using Fura-2. 25*P*

Clarke G., Davison I. & Wakerley J.B. Identification of stress-responsive hypothalamic neuroendocrine cells of the paraventricular nucleus (PVN) in the urethane-anaesthetized lactating rat using dorsal approach surgery. 26*P*

Harrison G.K. & Matthews B. A post-embedding technique for immunocytological studies of neurofilaments. 27*P*

Matthews B., Boissonade F.M. & Banks D. An implantable miniature micromanipulator. 28*P*

Vongsavan N. & Matthews B. The permeability of cat dentine *in vivo*, determined in anaesthetized animals, and in extracted teeth *in vitro*. 29*P*

Gregory M.D. & Matthews B. Temperature changes on the surface of human incisors during eating and drinking. 30*P*

Thorn S.A., Wareing M. & Matthews B. C fibre innervation of dental pulp investigated in anaesthetized cats. 31*P*

Rodrigo Glenn C. & Chapman R.A. A novel design of intracellular ion-sensitive microelectrode suitable for use with isolated cells. 32*P*

COMMUNICATIONS

Lovick T.A. & Lumb B.M. Association between inhibition of a noxious viscerosomatic reflex and cardiovascular changes evoked by stimulation in the rostral hypothalamus in anaesthetized rats. 33*P*

Terenzi Mariana G., Rees H., Morgan S.J.S. & Roberts M.H.T. Cells in the ventrolateral medulla mediate some of the descending inhibitory effects of stimulating the anterior pretectal nucleus in the anaesthetized and unanaesthetized rat. 34*P*

McQueen D.S., Igoo A., Birrell G.J. & Grubb B.D. Effects of aspirin and paracetamol on high-threshold tarsal joint mechanoreceptors in anaesthetized rats with adjuvant-induced arthritis. 35*P*

Perry M.J. & Lawson S.N. Immunocytochemical properties of primary afferent neurones innervating skin, muscle or viscera in the rat. 36*P*

McCarthy P.W. Calcitonin gene-related peptide-like immunoreactivity is present in the endings of nerve fibres located in the intervertebral disc of the rat. 37*P*

Dougherty P.M. & Willis W.D. Long-lasting enhancement of excitability of spinothalamic tract neurones following combined application of excitatory amino acids and substance P in anaesthetized macaques. 38*P*

Calcutt N.A., Ettlinger C.B. & Tomlinson D.R. Impulse conduction in sciatic nerves from anaesthetized control and diabetic rats *in vivo* under normoxic and hypoxic conditions *in vitro*. 39*P*

Connelly D.M. & Taberner P.V. Insulin binding to isolated liver plasma membranes is reduced in spontaneously obese diabetic CBA/Ca mice. 40*P*

Barnes R.J., Roy C.H. & Sensky P.L. The effects of adrenalectomy, hypophysectomy and ACTH or cortisol replacement on the functional residual capacity of newborn sheep. 41*P*

Boddy L., Ecclestone M.D.S., Kendrick A.H. & Laszlo G. Time course of changes in single-breath breath-holding carbon monoxide transfer coefficient following exercise. 42*P*

Clement I.D., Bascom D.A., Cunningham D.A., Painter R. & Robbins P.A. Changes in the rapid component of the ventilatory response to hypoxia during sustained isocapnic hypoxia in humans. 43*P*

Harding R., Fowden A.L. & Silver M. Respiratory muscle activity in the fetal pig. 44*P*

Hník P., Vejsada R., Paleček J., Navarrete R. & Payne Ruth Late changes of EMG activity following nerve crush in neonatal rats. 45*P*

Ranatunga K.W. & Thomas P.E. Early changes in contraction speed in cross-reinnervated soleus muscle in the anaesthetized rat. 46*P*

Wood S.J., Osborne R.H., Cattell K.J. & Banner S.E. Nicotine relaxes the isolated foregut of the locust *Schistocerca gregaria* by causing release of endogenous octopamine. 47*P*

Matthews H.R. Evidence implicating cytoplasmic calcium concentration as the messenger for light adaptation in rod photoreceptors isolated from the guinea-pig retina. 48*P*

Lagnado L., Robinson D.W., Lunn M.P.T., Cervetto L. & McNaughton P.A. The effects of changes in temperature on the light-sensitive current of rat rods. 49*P*

Hanitzsch Renate A comparison between the slow cornea-negative component of the electro-retinogram (ERG) and extracellular K^+ changes in the isolated rabbit retina. 50*P*

Williamson R. Hair cell responses in the squid statocyst. 51*P*

O'Neill S.C., Mill J.G., Valdeolmillos M. & Eisner D.A. Local activation of contraction in isolated rat ventricular myocytes. 52*P*

Frampton J.E., Orchard C.H. & Boyett M.R. The relationship between diastolic and systolic intracellular $[Ca^{2+}]$ ($[Ca^{2+}]_i$) in ventricular myocytes isolated from rat hearts. 53*P*

Noble D. & Powell T. The attenuation and slowing of calcium signals in cardiac muscle by fluorescent indicators. 54*P*

Earm Y.E., Spindler A.J., Noble S.J. & Noble D. Conductance changes induced by amino acids in isolated guinea-pig ventricular cells. 55*P*

Warley Alice, Daniel P.M. & Osborne M. Cryofixation of heart tissue of the anaesthetized rat for study by X-ray microanalysis. 56*P*

Poole R.C., Levi A.J., Cranmer S.L. & Halestrap A.P. Kinetic evidence for a novel lactate/pyruvate carrier in isolated cardiac myocytes from guinea-pig. 57*P*

Carli F. & Ramachandra V. Human skin temperature changes during anaesthesia and surgery. 58*P*

Walder C.E., Thiemermann C. & Vane J.R. EDRF-mediation of the pentagastrin-induced hyperaemia in the gastric mucosa of the anaesthetized rat *in vivo*. 59*P*

Robertson B.E., Steer Sophia & Nye P.C.G. Cromakalim abolishes hypoxic vasoconstriction of the isolated rat lung. 60*P*

Davis J.P.L., Harper A.A. & Chipperfield A.R. Some effects of deoxycorticosterone acetate (DOCA)-induced hypertension on the electrical properties of rat arterial smooth muscle, measured *in vitro*. 61*P*

Hodson S. & Wigham C. Membrane potentials of rabbit corneal endothelial cells *in vitro*. 62*P*

Turner M.R. Electrical resistance of monolayers of cultured bovine endothelium in solutions of various resistivities. 63*P*

Radziszewski W., Salvemini D., Korbut R. & Vane J.R. Cyclic nucleotides and synergistic inhibition of platelet aggregation by sodium nitroprusside and iloprost. 64*P*

Figueroa C.D., Henderson L.M., Colman R.W., de la Cadena R.A., Muller-Esterl W. & Bhoola K.D. Immunoreactive H- and L-kininogens in human neutrophils. 65*P*

Worthy K., Bond A.P., Elson C.J., Dieppe P.A. & Bhoola K.D. The effect of α_2-macroglobulin-bound proteases on the measurement of tissue kallikrein in the synovial fluid of patients with RA and other arthritides. 66*P*

Cottrell G.A., Green K.A. & Powell B. The neuropeptide FMRFamide directly activates an ion channel in an isolated *Helix* neurone. 67*P*

Henderson R.M., Brayden D.J., Roberts Michaela & Cuthbert A.W. Potassium channels in primary cultures of human eccrine sweat gland cells. 68*P*

Charlesworth P., Jacobson I., Pocock G. & Richards C.D. Procaine selectively inhibits channels opened by nicotinic agonists in bovine adrenal chromaffin cells. 69*P*

Pearce Rosalyn J. & Duchen Michael R. Differential expression of membrane currents in isolated mouse primary sensory neurones. 70*P*

Kato M., Sikdar S.K., Hoyland J., Bunting R. & Mason W.T. Ionic mechanism of the rise in cytoplasmic calcium evoked by growth-hormone releasing hormone in male rat anterior pituitary cells. 71*P*

Suidan H.S., Murrell R.D. & Tolkovsky A.M. The rise in cyclic AMP levels in cultured rat superior cervical ganglion neurones induced by bradykinin and carbachol is mediated via an increase in cytosolic calcium. 72*P*

Heidbüchel H., Callewaert G., Vereecke J. & Carmeliet E. Membrane-bound nucleoside diphosphate kinase (NDPK) can activate the atrial G protein G_K in the absence of G nucleotides in isolated guinea-pig atrial cells. 73*P*

Baker G.F. & Widdas W.F. Inhibition of glucose exits in human erythrocytes by high concentrations of alcohols. 74*P*

Widdas W.F. & Baker G.F. The role of surface tension in the molecular action of the human erythrocyte glucose transporter. 75*P*

Liou C.C. & Ellory J.C. L-Histidine uptake in human erythrocytes. 76*P*

Ellory J.C., Pittman S.J. & Tucker E.M. Low potassium-type sheep red cell membranes contain a 25 kDa polypeptide associated with the L antigen. 77*P*

Kemp P.J. & Boyd C.A.R. Sodium-dependent glucose transport in isolated guinea-pig type II pneumocytes. 78*P*

Kudo Y. & Boyd C.A.R. L-Tyrosine transport in human placental membrane vesicles. 79*P*

Lidierth M. Inhibition evoked in the spino-olivary pathways of the anaesthetized cat by peripheral nerve stimulation. 80*P*

Ellaway P.H., Davey N.J., Catley M.C. & Baker J.R. Origin of a bulbospinal pathway that suppresses synchrony of γ-motoneurone discharge in the decerebrated cat. 81*P*

Farmer S.F., Ingram D.A. & Matthews P.B.C. Evidence for the transcortical transmission of long-latency stretch reflexes obtained in a patient with mirror movements. 82*P*

Rack P.M.H. Wrist stretch reflexes in early Parkinson's disease. 83*P*

Farmer S.F., Bremner F.D., Halliday D.A., Rosenberg J.R. & Stephens J.A. The relationship between time and frequency domain analysis of motor unit firing studied in man. 84*P*

Burke D., Gandevia S.C. & Rothwell J.C. Activation of presumed fusi-motoneurones by motor cortical stimulation in human subjects. 85*P*

Jones R.S.G. Intrinsic properties of neurones in layer II of the rat entorhinal cortex *in vitro*. 86*P*

Brooks P.A. & Barker J.L. The action of enflurane on responses to γ-aminobutyric acid in cultured rat hippocampal neurones. 87*P*

Radpour Shahrzad & Thompson Alex M. Coactivation of local circuit connections may be adequate for induction of long-term potentiation (LTP) of minimal Schaffer collateral EPSPs in the CA1 region of the rat hippocampus *in vitro*. 88*P*

Herrling P.L., Meier C.L., Salt T.E. & Seno N. Involvement of NMDA receptors and non-NMDA receptors in cortico-cortical and thalamo-cortical excitatory postsynaptic potentials in the anaesthetized cat. 89*P*

Dutia M.B., Neary P. & McQueen D.S. Effects of cholinergic agents on spontaneously active rat medial vestibular nucleus neurones *in vitro*. 90*P*

Waller S. J., Kilpatrick I.C. & Evans R.H. On the distribution of excitatory sulphur-containing amino acids in the adult rat spinal cord. 91*P*

Tunstall Mark J. & Roberts Alan NMDA applied to the spinal cord of *Xenopus* embryos reduces rostral-caudal delay during fictive swimming. 92*P*

Blackshaw Susanna E. & Kristan W.B. Jr Input from single stretch receptor neurones influences the centrally generated swim motor pattern in the leech. 93*P*